

Hotpoint







MULTIFLOW TECHNOLOGY

FOOD THAT'S COOKED consistently EVEN THROUGHOUT

Multiflow technology, available across Hotpoint's full range of electric ovens, distributes constant heat to every corner of the oven, controlling the temperature to within a precise 2 degrees. For consistently even cooking with no burnt edges or raw middles - whichever shelf you're using.





MEAT PROBE

COOK SUCCULENT JOINTS OF MEAT without opening THE OVEN DOOR

Monitor the internal temperature of your meat to easily know when it's reached the desired temperature.

ACTIVE STEAM

PREVENT FOOD FROM overcooking AND drying out

Cooking with steam delivers deliciously crisp results on the outside while keeping the centre soft and succulent. Choose from three levels of steam, dependent on what you're cooking.



TAKE THE effort OUT OF CLEANING THE OVEN

Our ovens offer a number of self-cleaning programmes and features so you never have to spend hours cleaning the oven again.





A special cycle safely locks the oven door and heats up to 470°C to burn off any fat and grease without having to use detergents. Simply dust away any residue once the cycle is complete.



Catalytic liners are special panels tha catch fat spits and grease, removing them naturally during the cooking process, so you can spend more time cooking and less time cleaning.



A 35 minute self-cleaning steam programme loosens fat and food residue from the special coating on the sides of the oven, that can be simply wiped away after the cycle has ended.


Code 859990967680















- Multi-Recipes
- Telescopic Shelves



OVENS

Code 859990967690 EAN 5016108967690







SI7 891 SP IX








· Multi-Recipes

*Telescopic Shelves



Code 859990967660

EAN 8007842967661











Code 859990967880 EAN 5016108967881

SI7 871 SC IX



*Energy Rating A+


· Multiflow Technology *Electronic Temperature Control

*Catalytic Liners

*Touch Dials

*Telescopic Shelves






*Energy Rating A+ *Multiflow Technology · Catalytic Liners · Meat Probe · Multi-Recipes *Telescopic Shelves











- ·Class 9 *Energy Rating A+
- *Active Steam Multiflow Technology
- *Hydro Cleaning *Telescopic Shelves *Soft Close Door




Code 859990967970

EAN 5016108967973







SI5 854 P IX

·Class 5

*Energy Rating A+

· Multiflow Technology


*Electronic Temperature Control

Pyrolytic Cleaning
Expert Recipes



Code 859990967960 EAN 5016108967966





SI5 851 C IX

- · Class 5 *Energy Rating A+
- *Multiflow Technology
- * Electronic Temperature Control
- Catalytic Liners
 Expert Recipes




OVENS

Code 869991022840 EAN 5054645022847

DKU5 541 J C IX



- ·Fan
- ·Catalytic Liners
- Digital Display
 Pop-Out Controls
- *Telescopic Shelves






Code 859991001440 EAN 5054645001446









SA3 540 H IX

·Class 3

- *Energy Rating A
- Multiflow Technology
- *Electronic Temperature Control
- · Hydro Cleaning
- *Digital Display
- Removable Door





DKD5 841 J C IX















- · Catalytic Liners
- Digital Display
 Pop-Out Controls
- *Telescopic Shelves



Code 859991001450 EAN 5054645001453


















SA3 544 C IX

- *Energy Rating A
- Multiflow Technology * Electronic Temperature Control
- ·Catalytic Liners
- *Digital Display
- Removable Door



Code 869991022910 EAN 5054645022915











DKD3 841 IX

- *Energy Rating A/A Multifunction
- *Catalytic Liners
- · Digital Display *Twin Grill

OVENS

	SI9 891 SP IX	SI9 891 SC IX	SI9 S8C1 SH IX H	SI7 891 SP IX	SI7 871 SC IX	SI5 854 P IX	SI5 851 C IX	SA3 540 H IX	SA3 544 C IX	DKU5 541 J C IX	DKD5 841 J C IX	DKD3 841 IX
SPECIFICATION												
CAPACITY (L)	73	73	73	73	73	71	71	66	71	37/59	42/70	39/70
ENERGY RATING	A+	А	А	A/A	A/A	A/A						
DIMENSIONS (H x D x W mm)	595 x 595 x 564	595 x 595 x 551	595 x 595 x 551	720 x 595 x 575	882 x 595 x 575	882 x 595 x 575						
COLOUR	Inox	Inox	Inox	Inox	Inox	Inox						
USER INTERFACE	Text Assisted Digital Display	Graphic Display	Graphic Display	Digital Display	Digital Display	Digital Display	Digital Display	Digital Display				
CONTROL	Touch	Touch	Touch	Touch	Touch	Monodial	Monodial	Knobs	Knobs	Pop-Out	Pop-Out	Knobs
CONNECTION	UK Plug	UK Plug	UK Plug	Cable	Cable	Cable						
ACCESSORIES	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 deep tray 1 baking tray 1 grid grill pan set	1 shelf 1 baking tray	1 shelf 1 baking tray	3 shelves, 1 deep tray 1 baking tray 1 kit grill pan set	3 shelves 1 deep tray 1 baking tray 1 kit grill pan set	3 shelves 1 deep tray 1 baking tray 1 kit grill pan se
TECHNOLOGY MULTIFLOW TECHNOLOGY	•	•	•	•	•	•	•	•	•			
ELECTRONIC TEMPERATURE CONTROL	•	•	•	•	•	•	•	•	•			
ACTIVE STEAM			•									
MEAT PROBE	•	•										
ROTISSERIE	•			•		•		•				
TELESCOPIC SHELVES	•	•	•	•	•		•			•	•	•
SOFT CLOSE DOOR	•	•	•	•	•							
NUMBER OF MULTI-RECIPES	36	36	33	28								
NUMBER OF EXPERT-RECIPES					9	6	6	2	2			
CLEANING METHOD	Pyrolytic Cleaning	Catalytic Liners	Hydro Cleaning	Pyrolytic Cleaning	Catalytic Liners	Pyrolytic Cleaning	Catalytic Liners	Hydro Cleaning	Catalytic Liners	Catalytic Liners	Catalytic Liners	Catalytic Liner
TILTING GRILL		•	•		•		•	•	•			
TWIN GRILL										•	•	•



DYNAMIC CRISP

FOR MEALS THAT ARE crisp AND FULL OF Havour

Dynamic Crisp enables you to cook foods such as pizza, halloumi & even a full English breakfast by quickly reaching the ideal temperature for browning and crisping.





DYNAMIC DEFROST

Quickly AND safely DEFROST MEAT, POULTY, FISH, VEGETABLES OR BREAD

The ideal programme for defrosting food quickly and safely, preserving all the nutrients. Simply select the type of food and its weight: the microwave will automatically calculate the time required for even defrosting.

AUTOCLEAN

TAKE THE effort OUT OF CLEANING

Never worry about cleaning with our AutoClean function. Simply select the programme, and let the microwave do the rest. The special interior coating makes wiping away any residue quick and easy.



QUARTZ GRILL

HEAT IN seconds

The powerful Quartz Grill instantly pre-heats, helping to create deliciously golden pizzas, gratins and lasagnes.





MULTIWAVE TECHNOLOGY

EVEN COOKING, HEATING AND DEFROSTING in a hurry

Consistent and even cooking throughout your dish without the need to stir. This innovative technology perfects the microwave distribution which ensures they reach every part of the dish.



Code 859990957330 EAN 5016108957332















MP 996 IX H


MICROWAVES



Code 859990966850 EAN 5016108966853


MD 554 IX H







*Dynamic Crisp · Multi-Recipes







Code 859990957320 EAN 5016108957325









MS 998 IX H





* Electronic Temperature Control




Code 859990966890 EAN 5016108966891













*Microwave and Grill

*Dynamic Crisp

MN 314 IX H

· Multi-Recipes

*Dynamic Defrost



Code 859990966830


























Code 859990966880 EAN 5016108966884












MD 344 IX H







*Multi-Recipes *Dynamic Defrost




Code 869991591620 EAN 5054645591626




















CM 9945 H



- *Adjustable Grinding Level
- •5 Coffee Options



 Cappuccino *Touch Control



Code 869991591550 EAN 5054645591558















MF20G IX H

·Class 3



Code 869990957370 EAN 8007842957372









WD 914 NB

•20 L

*Temperature Control



Code 869990966910 EAN 8007842966916










17

WD 714 IX

· Class 7 Warming Drawer



	MP996 IXH	MP776 IXH	MD554 IXH	MD344 IXH	MN 314 IX	MF25G	MF20G	MS 998 XH	CM9945	WD 914 NB	WD 714 IX
SPECIFICATION											
CAPACITY (L)	40	40	31	31	22	25	20	29	-	20	20
DIMENSIONS (H x D x W mm)	455 x 595 x 560	455 x 595 x 560	385 x 595 x 468	385 x 595 x 468	382 x 595 x 320	390 x 594 x 379	390 x 594 x 349	455 x 595 x 537	455 x 595 x 398	595 x 550 x 116	595 x 550 x 116
COLOUR	lnox	Inox	Inox	Inox	Inox	Inox	Inox	Inox	Inox	Black	Inox
USER INTERFACE	Text Assisted Digital Display	Graphic Assisted Digital Display	Graphic Display	Digital Display	Digital Display	Digital Display	Digital Display	Text Assisted Digital Display	Text Assisted Digital Display	-	-
CONTROL	Touch	Touch	Monodial	Knobs	Buttons	Touch + Knob	Touch + Knob	Touch	Touch	Button	Button
DOOR OPENING	Drop down	Drop down	Drop down	Drop down	Push Button Door (Side Swing)	Push Button Door (Side Swing)	Push Button Door (Side Swing)	Drop down	-	Push Pull Mechanism	Push Pull Mechanism
CONNECTION	UK Plug	UK Plug	UK Plug	UK Plug	UK Plug	UK Plug	UK Plug	UK Plug	UK Plug	Cable	Cable
ACCESSORIES	1 Grill Grid 1 Baking Tray 1 Crisp Plate 1 Crisp Handle 1 Steamer 1 Cover Plate	1 Grill Grid 1 Baking Tray 1 Crisp Plate 1 Crisp Handle 1 Steamer 1 Cover Plate	1 grill Grid 1 Crisp Plate 1 Crisp Handle 1 Cover Plate	1 Grill Grid 1 Crisp Plate 1 Crisp Handle 1 Cover Plate	1 Grill Grid 1 Crisp Plate 1 Crisp Handle 1 Cover Plate	1 Grill Grid	1 Grill Grid	Combi Steam Set	-	-	-
TYPE OF COMPACT APPLICANCE	Microwave Combi	Microwave Combi	Microwave and Grill	Microwave and Grill	Microwave and Grill	Microwave and Grill	Microwave and Grill	Compact Steam Oven	Automatic Coffee Machine	Warming Drawer	Warming Drawer
MICROWAVE POWER	900W	900W	1000W	1000W	750W	900W	800W	-	-	-	-
NUMBER OF MICROWAVE POWER LEVELS	7	7	7	7	4	7	6	-	-	-	-
GRILL TYPE	Standard Grill	Standard Grill	Quartz	Quartz	Quartz	Quartz	Quartz	-	-	-	-
GRILL POWER	1600W	1600W	800W	800W	700W	1000W	1000W	-	-	-	-
TECHNOLOGY											
MULTIWAVE TECHNOLOGY	•	•	•	•	•						
DYNAMIC CRISP	•	•	•	•	•						
DYNAMIC DEFROST	•	•	•	•	•	•	•	•			
MULTI-RECIPES	•	•	•	•	•	•	•	•			
AUTOCLEAN						•	•				
MEAT PROBE								•			
ADJUSTABLE GRINDING LEVEL									•		
5 COFFEE OPTIONS									•		
CAPPUCCINO									•		
PRE-HEAT PLATES										•	•



MY MENU

YOUR perfect KITCHEN ASSISTANT

Prevent cooking mishaps with My Menu. Simply select one of the automatic functions, melting, boiling, keep warm, and slow cooking, to cater for all your cooking needs. Use melting to slowly melt chocolate or butter without risk of burning, slow cooking for low and slow cooked stews, soups and joints of meat, keep warm for maintaining serving temperature, great for breakfast or busy family mealtimes, boiling to rapidly reach boiling point, without food sticking or the pan over boiling.



MELTING

SLOW COOKING





KEEP WARM



ACTIVE HEAT



CHANGE THE temperature OF YOUR HOR BY OUT MOVING THE PAN

With Active Heat, the whole cooking surface is divided into independent zones with different temperature levels (low, medium, and high). So you can alter the temperature of your cooking by simply moving the pan.

SLIDER CONTROL



Superior **HEAT CONTROL**

Directly control the power of each cooking zone using the responsive slider. Hotpoint inductions hobs offer between 9-18 power levels, allowing you superior heat control.

BOOST POWER



EXTRA power AND control FOR WHEN AN INJECTION OF HEAT IS NEEDED

Perfect when boiling water or searing meat. When this function is activated, within seconds the heat reaches its maximum level for 4 minutes: boosting cooking speed, whilst retaining full control.



TOTAL FLEXI




THE flexibility TO COOK THE WAY YOU WANT





























Code 869991574850




TB 7960C BF













TB 3977B BF


- *My Menu (4 Functions) *Combi Duo
- *Touch Buttons Control
- *Boost Power
- · Residual Heat Indicator

22































· Childlock

•Easy Cleaning

	ACP 778 C/BA	ACO 654 NE	TS 5760F NE	TS 9960C BF	TB 7960C BF	TB 3977B BF	TQ 1460S NE	HR 724 B H	HR 612 C H	HR 619 C H
SPECIFICATION										
DIMENSIONS (W x D mm)	770 x 510	650 x 510	590 x 510	590 x 510	590 x 510	770 x 510	590 x 510	770 x 510	580 x 510	580 x 510
COLOUR	Black	Black	Black	Black	Black	Black	Black	Black	Black	Black
CONTROL	-	-	-	-	-	-	-	Touch Control	Touch Control	Knobs Control
NUMBER OF POWER LEVELS	18	18	18	18	9	9	9	-	-	-
POWER MANAGMENT	•	•	•	•	•	•	•			
TECHNOLOGY										
NUMBER OF MY MENU FUNCTIONS	18	6	4	4	4	4	4	-	-	-
TOTAL FLEXI	•									
FLEXI PRO		•						•		
FLEXI SPACE			•					•		
FLEXI DUO				•	•					
COMBI DUO						•		•		
BOOSTER	•	•	•	•	•	•	•			
ACTIVE HEAT	•		•							
ASSISTED DISPLAY WITH SLIDER CONTROL	•									
SLIDER CONTROL		•	•	•						
TOUCH BUTTON CONTROL					•	•	•			
TIMER	•	•	•	•	•	•	•	•		
RESIDUAL HEAT INDICATOR	•	•	•	•	•	•	•	•	•	
EASYINSTALLATION	•	•	•	•	•	•	•			
CHILD LOCK	•	•	•	•	•	•	•	•	•	
OVAL ZONE								•		
DOUBLE RING ZONE								•		
EASY CLEANING								•	•	•



DIRECT FLAME TECHNOLOGY

NO MORE HOT AND COLD SPOTS, JUST And **ACROSS THE ENTIRE** SURFACE OF THE PAN

The powerful blue flame is delivered vertically via 420 tiny holes, so no heat is wasted around the sides of the pan, saving up to 20% in time and energy*. Preventing any hot or cold spots, for delicious results every time.

*Compared to a standard gas hob



FLAME CONTROL

SET THE ideal flame level FOR YOUR DISH

Ultimate control over your flame. Use the 9-level Flame Control to precisely set the right temperature for any dish or food type.



WOK BURNER

HEALTHY STIR FRY in minutes

The wok burner optimises the power of gas and allows quick and uniform cooking, delivering even heat around the pan, and is 15% faster than standard burners.



GAS ON GLASS

ACHIEVE A long-lasting shine

The Hotpoint gas hob has an elegant glass surface, which offers a fresh touch to your kitchen style and makes cleaning a breeze.



CAST IRON PAN SUPPORTS

CAST IRON PAN SUPPORTS YOU CAN rely on


































Code 869991004990 EAN 5054645004997





FTGHG 641 D/H(BK)

*Direct Flame Technology *Cast Iron Pan Support

FTGHG 751 D/H(BK)

* Direct Flame Technology *Cast Iron Pan Support *Easy Cleaning

•5 Burners

- *Easy Cleaning
- ·4 Burners



GAS HOBS












PHC 961 TS/IX/H

















*Easy Cleaning

HGS 72S BK

·5 Burners













PPH 75G DF IX UK



30

Code 869991635470 EAN 5054645635474

PPH 75P DF IX UK

• Flame Control • Enamel Pan Support • Wok Burner

•5 Burners



Code 869991635450 EAN 5054645635450

PPH 60P F IX UK











GAS HOBS





PPH 60G DF IX UK

















PPH 60P F NB











WOK BURNER

FLAME CONTROL (POWER LEVEL INDICATORS)

•

•

GAS HOBS					GAS HOBS					
	FTGHG 751 D/H(BK)	FTGHG 641 D/H(BK)	PHC 961 TS/IX/H	HGS 72S BK	HGS 61S BK	PPH 75G DF IX UK	PPH 60G DF IX UK	PPH 75P DF IX UK	PPH 60P F NB	PPH 60P F IX UK
SPECIFICATION										
DIMENSIONS (W x D mm)	750 x 510	600 x 510	870 x 510	730 x 510	596 x 510	730 x 510	580 x 510	730 x 510	580 x 510	580 x 510
COLOUR	Black	Black	Inox	Black	Black	Inox	Inox	Inox	Black	Inox
NUMBER OF BURNERS	5	4	6	5	4	5	4	5	4	4
SURFACE	Gas on Glass	Gas on Glass	Gas on Metal	Gas on Glass	Gas on Glass	Gas on Metal	Gas on Metal	Gas on Metal	Gas on Metal	Gas on Metal
TECHNOLOGY										
DIRECT FLAME TECHNOLOGY	•	•								
CAST IRON PAN SUPPORT	•	•	•	•	•	•	•			

•

•



BOOSTER

17

FOR maximum EXTRACTION POWER

For maximum extraction power use the booster option for the those stubborn, lingering odours. The timed booster switches off automatically after 5 minutes.





TOUCH CONTROL



CONTROL YOUR COOKING FROM THE TOUCH OF YOUR fingerytips

The intuitive easy-to-use Touch Control interface provides simple and immediate access to all of your hood's settings and functions from the touch of a finger.





A SINGLE TOUCH FOR silence

Without having to stop the hood, the Silence Control button allows direct access to the lowest noise level (up to 35dBA) with just a single touch. This feature allows you to choose amongst 4 levels, so you can select a sound level that is best suited to you and your kitchen



LED LIGHTING



Light up THE ENTIRE SURFACE OF YOUR HOB

shadows with LED lighting, which also offers 90 energy savings, last 10 times longer, and emits less heat than conventional lamps




Code 869991591040 EAN 5054645591046









UIF 9.3F LB X

- *Energy Rating B
 *LED lighting
- *3 Extraction Speeds
- *Silence Control *Booster
- *Dishwasher-safe Grease Filters



HOODS

Code 869991557480 EAN 5054645557486







PHPN9.5FLMX/1

*3 Extraction Speeds · Booster

*Dishwasher-safe Grease Filters





Code 869990949950 EAN 5016108949955







PHBS9.8CLTDK

- *Energy Rating A
 *LED lighting
- *3 Extraction Speeds
- *Silence Control
- Touch Control
- Dual Filter



Code 869991639460 EAN 5054645639465








*Silence Control *Touch Control

PHVP 82F LT K





Code 869991557320 EAN 5054645557325









PHGC9.4FLMX

- *Energy Rating D
 *LED lighting
- *3 Extraction Speeds
- *Dishwasher-safe Grease Filters



Code 869991557300 EAN 5054645557301









PHGC7.4FLMX

- *Energy Rating D
 *LED lighting
- *3 Extraction Speeds
- · Booster
- *Dishwasher-safe Grease Filters



Code 869990949820 EAN 5016108949825







Energy Rating BLED lighting3 Extraction Speeds

PHC7.7FLBIX



HOODS




Code 869990949780

EAN 5016108949788



*Energy Rating A

- *LED lighting
 *3 Extraction Speeds
- *Silence Control
- *Touch control



*35 dBA



Code 869991634700 EAN 8003437624520









PHVP 62F LT K

- Energy Rating ALED lighting3 Extraction Speeds
- *Silence Control Touch Control




Code 869990949810 EAN 5016108949818












*3 Extraction Speeds · Booster

PHC6.7FLBIX

- *Dishwasher-safe Grease Filters
- Timer












Code 869991553270 EAN 5054645553273









PHVP 6.4F AL K/1

- *Energy Rating D
 *LED lighting
- ·Booster
- *Dishwasher-safe Grease Filters •Timer



Code 869991553600 EAN 5054645553600










PHGC6.4 FLMX





















Code 869991557580 EAN 5054645557585









PHPN6.5 FMMX/1

PHFG6.4FLMX

Energy Rating DLED lighting3 Extraction Speeds

*Dishwasher-safe Grease Filters

· Booster

- *Energy Rating D
 *LED lighting
- *3 Extraction Speeds
- ·Booster
- *Dishwasher-safe Grease Filters



HOODS

Code 869991559090 EAN 5054645559091



101,5 ø 120



PCT 64 F L SS

*Dishwasher-safe Grease Filters



Code 869991562140 EAN 5054645562145





- *Energy Rating D
 *LED lighting
- *3 Extraction Speeds





Code 869991558410 EAN 5054645558414







*Energy Rating D
*LED lighting

•5 Extraction Speeds

PAEINT 66F LS W










Code 869991559300 EAN 5054645559305


HSFX.1/1















HOODS

	UIF 9.3F LB X	PHBS9.8CLTDK/1	PHGC9.4FLMX	PHPN9.5FLMX	PHVP 82F LT K	PHGC7.4FLMX	PHC7.7FLBIX	PHVP 62F LT K	PHVP 6.4F AL K/1	PHBS6.8FLTIX
SPECIFICATION										
DIMENSIONS (H x D x W mm)	690 x 898 x 451	700 x 898 x 506	1130 x 900 x 450	1120 × 900 × 509	430 x 360 x 326	1130 x 700 x 450	1150 x 700 x 500	430 x 360 x 326	381 x 595 x 293	1150 x 600 x 455
ENERGY RATING	В	А	D	D	А	D	В	А	D	А
COLOUR	Inox/Glass	Black	Inox/Glass	Inox	Black	Inox/Glass	Inox	Black	Black	Inox/Black
MAXIMUM EXTRACTION SPEED (M³/H)	647 M³/H	550 M³/H	432 M³/H	432 M³/H	495 M³/H	432 M³/H	432 M³/H	495 M³/H	384 M³/H	420 M³/H
MAXIMUM EXTRACTION SPEED WITH BOOSTER (M³/H)	735 M³/H	680 M³/H	-	-	650 M³/H	-	713 M³/H	650 M³/H	-	720 M³/H
NOISE LEVEL (dBA)	70 dBA	72 dBA	65 dBA	62 dBA	65 dBA	65 dBA	60 dBA	65 dBA	63 dBA	62 dBA
TECHNOLOGY										
RECIRCULATING FILTER INCLUDED	•	•	•	•	•	•	•	•	•	•
LED LIGHTING	•	•	•	•	•	•	•	•	•	•
CLEAN FILTER INDICATOR	•	•			•		•	•		•
BUTTON CONTROL	•		•	•		•	•		•	•
TOUCH CONTROL		•			•			•		
SILENCE CONTROL	•	•					•			•
BOOSTER	•	•		•	•		•	•		•
DISHWASHER-SAFE GREASE FILTERS	•	•	•	•	•	•	•	•	•	•
DUAL FILTER TECHNOLOGY		•								

	PHC6.7FLBIX	PHGC6.4 FLMX	PHFG6.4FLMX	PHPN6.5 FLMX/1	PSLMO 65F LS X	PSLMO 65F LS K	PCT 64 F L SS	PAEINT 66F LS W	HSFX.1/1
SPECIFICATION									
DIMENSIONS (H x D x W mm)	1150 x 600 x 500	1130 x 600 x 450	1130 x 600 x 447	1120 x 600 x 508	132 x 599 x 513	132 x 599 x 513	177 × 534 × 299	340 x 599 x 270	180 x 598 x 300
ENERGY RATING	В	D	D	D	D	D	С	D	D
COLOUR	lnox	Inox/Glass	Inox/Glass	Inox	lnox	Black	Inox	White	Inox
MAXIMUM EXTRACTION SPEED (M³/H)	432 M³/H	432 M³/H	432 M³/H	435 M³/	208 M³/H	208 M³/H	224 M³/H	208 M³/H	304 M³/H
MAXIMUM EXTRACTION SPEED WITH BOOSTER (M³/H)	713 M³/H	-	-	-	-	-	-	-	-
NOISE LEVEL (dBA)	60 dBA	65 dBA	65 dBA	60 dBA	71 dBA	71 dBA	54 dBA	65 dBA	62 dBA
TECHNOLOGY									
RECIRCULATING FILTER INCLUDED	•	•	•	•	•	•	•	•	•
LED LIGHTING	•	•	•	•	•	•	•	•	•
CLEAN FILTER INDICATOR	•								
BUTTON CONTROL	•	•	•	•	•	•	•	•	•
TOUCH CONTROL									
SILENCE CONTROL	•								
BOOSTER	•								
DISHWASHER-SAFE GREASE FILTERS	•	•	•	•	•	•	•	•	•
DUAL FILTER TECHNOLOGY									

HOTPOINT dishwashers

Hotpoint dishwashers quietly remove stubborn, baked-on food, so you can ditch the dishcloth.

Hotpoint



3D ZONE WASH

Tough ON GREASE, gentle ON ENERGY

3D Zone Wash ensures precisely the right amount of water is used on the selected basket providing either 40% more cleaning power* for stubborn, baked-on foods, or 40% more energy efficiency** for smaller loads, depending on your

* Average percentage of performance increase vs a non-3D Zone Wash appliance running Intensive cycle, obtained on 17 different items with different typology of dirt. Test results verified by VDE.

** Verified in the Report N° 236127-AS6-1 by VDE Test Institute.



ADJUSTABLE BASKETS & 3RD RACK

MAXIMUM flexibility FOR YOUR LOADING NEEDS

Adjustable baskets and a removable third rack give you maximum flexibility when loading your dishwasher, letting you alter the set-up of the interior cavity's upper and lower baskets, creating space for larger pots and dishes.

SANITIZING CYCLE

MAXIMISE THE hygiene OF YOUR DISHES

Maximise the hygiene of your dishes by eliminating 99.999%* bacteria with the sanitizing cycle.

*Tested and certified by VDE Prüf- und Zertifizierungsinstitut GmbH and Swissatest Testmaterialien AG.

GLASS CARE

SAY goodbye TO WATER MARKS


Prevent water marks on your favourite glassware, with a dedicated cycle and specially designed glass holders.

Simply fold away when not in use to maximise your space.



NATURALLY air dry YOUR DISHES





·Half Load · Adjustable Basket + 1/2 Cutlery Tray

















*Energy Rating B

HIP 40539 WLEGT UK











DISHWASHERS


















- *Energy Rating C
- *3D Zone Wash *Active Dry
- *Adjustable Basket + Cutlery Tray
- *Super Silent
- ·Glass Care



Code 869991618150 EAN 5054645618156

Code 869991611510 EAN 5016108829141









HIE 2B19 UK

- *Intensive 65° · Adjustable Basket
- •12 Ĺ



Code 869991601350 EAN 5054645601356













- *Energy Rating D *3D Zone Wash
- *Adjustable Basket + 1/2 Cutlery Tray



Code 869991616030





448





555





• 11.5 L



EAN 5054645569250

HSIC 3M19 C UK N *Energy Rating F *Eco Cycle

*Adjustable Basket + 1/2 Cutlery Tray





52

53


DISHWASHERS



Code 869991621090 EAN 5054645531424







HIO 3P33 WLE UK

- Energy Rating D
 3D Zone Wash
 Active Dry
 Adjustable Basket + Cutlery Tray
 Sanitising Cycle
 Delay Timer



.

Code 869991622820 EAN 5054645052233

HBC 2B19 UK N

- *Energy Rating F
 *Eco Cycle
 *Half Load
 - · Adjustable Basket
 - *Quick Wash 30' *12 L


Code 869991622840 EAN 5054645052240












HBC 2B19 X UK N

- *Energy Rating F *Eco Cycle
- · Half Load · Adjustable Basket
- *Quick Wash 30'
 *12 L





TWASTIERO					BIOTIVACTIENO				
	HIP 40539 WLEGT UK	HIO 3T241 WFEGT UK	HIC 3C33 CWE UK	HIC 3B19 C UK	HIE 2B19 UK	HSIC 3M19 C UK N	HIO 3P33 WLE UK	HBC 2B19 UK N	HBC 2B19 X UK I
SPECIFICATION									
FULL SIZE (60CM)	•	•	•	•	•		•		•
SLIMLINE (45CM)						•			
PLACE SETTINGS	14	14	14	13	13	10	13	13	13
ENERGY RATING	В	С	D	F	F	F	D	F	F
COLOUR	S.Steel	S.Steel	Silver	Graphite	Silver	Silver	S.Steel	Black	S.Steel
LITRES (L)	9.5 L	9.5 L	9.5 L	12 L	12 L	11.5 L	11 L	12 L	12 L
NOISE LEVEL (dBA)	39 dBA	41 dBA	43 dBA	49 dBA	49 dBA	49 dBA	43 dBA	49 dBA	49 dBA
TECHNOLOGY									
3D ZONE WASH	•	•	•				•		
ACTIVE DRY	•	•	•				•		
GLASS CARE	•	•							
SANTITISING	•	•	•	•			•		
ADJUSTABLE BASKET	•	•	•	•	•	•	•	•	•
ADJUSTABLE BASKET + CUTLERY TRAY	•	•					•		
ADJUSTABLE BASKET + 1/2 CUTLERY TRAY			•	•		•			
QUICK WASH 30'	•	•	•	•		•	•	•	•
HALF LOAD				•				•	•
LIGHT ON FLOOR	•	•	•				•		
FOLD DOWN PLATE SUPPORTS	•	•	•	•			•		
DELAY TIMER	•	•	•	•		•	•	•	•
INVERTER MOTOR	•	•	•				•		
ECO CYCLE	•	•	•	•	•	•	•	•	•
INTENSIVE 65°	•	•	•	•	•	•	•	•	



FRESH ZONE +

KEEP YOUR FRUIT AND VEGETABLES tastier FOR LONGER

The Fresh Zone+ drawer helps to maintain the right temperature, and features a handy humidity dial, so your fruit and vegetables stay crisp and full of flavour, for longer.



Flexibility AT YOUR FINGER TIPS

Personalise your fridge by moving the shelves in the balcony and main compartment up and down to meet your storage needs.



ACTIVE FRESH

MAINTAIN THE IDEAL TEMPERATURE FOR LONG LASTING food freshness

This clever technology quickly restores temperature and humidity for optimal food preservation.

ACTIVE OXYGEN

O₃

REDUCE UP TO 99% OF viruses and bacteria WITH ACTIVE OXYGEN

Active Oxygen technology releases tri-oxygen molecules (O3) into the fridge, neutralising unpleasant odours by up to 70% and reduces bacteria* and virus** growth by up to 99%. Active Oxygen is a molecule made up of 3 oxygen atoms – the same type that are present in nature and released into the atmosphere during a thunderstorm. Active Oxygen technology recreates this process inside your machine, so it doesn't need any refilling or maintenance when not in use.

*ISO 9001-2001 certification. Tests performed by Sereco-Biotest Laboratory
**Virucidal field tests done by Notovir srl following the Guidance on the
BPR, Vol. II Parts B+C, v. 3.0 Apr 2018 and including also Human Coronavirus
OC43 for 24 hours at 4°C. Results referred to Murine Norovirus and Human
Coronavirus OC43 and may vary based on shelf positioning and presence/
absence of packaging. Tests on bacteria done by an independent
laboratory on Petri plates in the 24 hours, according to ISO 22196, bacteria
tested E.Coli and St. Aureus

NO SOGGY SALADS AND never DEFROST YOUR FRIDGE OR FREEZER again

Total No Frost technology consistently circulates ai around both the fridge and freezer so moisture car build up, which means no soggy salads and no ice build up, so you'll never have to defrost your fridge or freezer.



59

COOLING

HTC20 T321 UK



Code 859991633680 EAN 5054645633685












* Precision Temperature Control

*Super Silent

· Multicool Flow





HTC18 T532 UK

ALC: UNITED IN

Code 859991633670

EAN 5054645633678

Energy Rating ETotal No Frost

· Active Fresh

*Active Oxygen

* Precision Temperature Control







Code 859991630770 EAN 5054645630776














· Active Fresh

* Precision Temperature Control

 Super Silent · Multicool Flow



HBC18 5050 F1



Code 869991629530 EAN 5054645629534





*Fresh Zone+LED Lighting







·Active Fresh ·Fresh Zone

*Flexible Space Management *LED Lighting

HMCB 50501 UK



Code 859991618050 EAN 5054645556724










*Fresh Zone

*Flexible Space Management *LED Lighting







Code 859991601580

EAN 5054645556113

*Energy Rating F

·Low Frost

· Fresh Zone

·LED Lighting

*Space Management System


COOLING









- *Energy Rating F
- ·Low Frost
- · Fresh Zone
- *Space Management System
 *LED Lighting









Code 859991613340 EAN 5054645556083











- *Energy Rating F
- ·Low Frost · Active Fresh
- *Dual Fresh Zone
- *Space Management System

*LED Lighting



Code 859991607350 EAN 5054645556106





- ·Active Fresh *Dual Fresh Zone
- *Space Management System



Code 859991601750 EAN 5054645556199







- ·Active Fresh •Fresh Zone
- *Space Management System *LED Lighting




Code 859991614750 EAN 5054645556304









- *Active Fresh
- *Fresh Zone *Space Management System







HZ A1.UK 1

HF 1801 E F1 UK



Code 859991604220 EAN 5054645556335



- Energy Rating FLow Frost27 Hour Power Safe2 Drawers And 1 Flap







Code 859991613720 EAN 5054645556328





- *Energy Rating F
 *No Frost
 *Fast Freeze Function
 *23 Hour Power Safe
 *Open Door Indicator
 *LED Strip Lighting







65

	HTC18 T532 UK	HTC20 T321 UK	HTC18 T311 UK	HBC18 5050 F1	HMCB 50501 U	K HMCB 70301 UK	HL A1.UK 1	HF A1.UK 1	HS 18011 UK	HSZ 18011 UK
SPECIFICATION										
FREEZER NET CAPACITY (L)	68	68	68	85	109	79	-	18	-	30
FRIDGE NET CAPACITY (L)	182	212	182	145	154	194	144	108	314	262
TOTAL CAPACITY (L)	250	280	250	230	263	273	144	126	314	292
HEIGHT (CM)	177	194	177	177	177	177	81.5	81.5	177	177
ENERGY RATING	Е	F	F	F	F	F	F	F	F	F
NOISE (DB)	34	34	34	38	35	35	37	38	35	35
TOTAL ANNUAL ENERGY CONSUMPRION (KWH)	224	278	280	290	310	299	118	179	147	280
NUMBER OF FRIDGE SHELVES	5	6	5	4	3	4	3	2	6	5
NUMBER OF FREEZER COMPARTMENTS	3	3	3	4	3	3	-	1	-	1
TYPE OF DISPLAY	Digital	LED	LED	Mechanical	LED	LED	Mechanical	Mechanical	LED	LED
TECHNOLOGY TOTAL NO FROST TECHNOLOGY	•	•	•							
NO FROST TECHNOLOGY				•						
LOW FROST					•	•	•	•	•	•
ACTIVE OXYGEN	•									
ACTIVE FRESH	•	•	•							
FRESH ZONE+	•	•	•	•						
FRESH ZONE	•	•			•	•	•	•		
DUAL FRESH ZONE									•	•
FLEXIBLE SPACE MANAGEMENT	•	•	•		•	•			•	
SPACE MANAGEMENT SYSTEM				•			•	•		
BOTTLE RACK		•							•	•
EASY FIND TRAY	•	•	•							
OPEN DOOR INDICATOR	•	•	•							
TEMPERATURE ALARM	•	•	•							
MULTIFRESH ZONE		•								
PRECISION TEMPERATURE CONTROL	•	•	•							
SUPER SILENT	•	•	•							

LING				
	HS 12 A1 D.UK 1	HSZ 12 A2D.UK 1	HZ A1.UK 1	HF 1801 E F1 UK
SPECIFICATION				
FREEZER NET CAPACITY (L)	-	18	91	209
FRIDGE NET CAPACITY (L)	209	172		-
TOTAL CAPACITY (L)	209	190	91	209
HEIGHT (CM)	122	122	81.5	177
ENERGY RATING	F	F	F	F
NOISE (DB)	35	36	38	38
TOTAL ANNUAL ENERGY CONSUMPRION (KWH)	132	217	185	307
NUMBER OF FRIDGE SHELVES	5	4	-	<u>-</u>
NUMBER OF FREEZER COMPARTMENTS	-	1	3	8
TYPE OF DISPLAY	LED	LED	Mechanical	Digital
TECHNOLOGY TOTAL NO FROST				
TECHNOLOGY NO FROST TECHNOLOGY				
LOW FROST	•	•	•	•
ACTIVE OXYGEN				
ACTIVE FRESH				
FRESH ZONE+				
FRESH ZONE	•	•		
DUAL FRESH ZONE				
FLEXIBLE SPACE MANAGEMENT SPACE MANAGEMENT SYSTEM	•	•		
BOTTLE RACK				
EASY FIND TRAY				
OPEN DOOR INDICATOR	•	•		
TEMPERATURE ALARM				
MULTIFRESH ZONE				
PRECISION TEMPERATURE CONTROL				
SUPER SILENT				





WOOL CARE



Soft AND gentle CARE FOR YOUR WOOLLENS

Trust Hotpoint to provide the utmost care for your woollens with a delicate wash programme that ensures a perfect clean whilst protecting the softness of the fabric.





WASH & DRY 45°



TOTAL LAUNDRY convenience

Achieve total laundry convenience - wash and dry a load of laundy in just 45 minutes.





REMOVE EVERYDAY STAINS IN JUST 45 minutes

This rapid 45 minute cycle removes common, everyday stains, without the need to pre-treat your clothes, so you can leave the laundry to Hotpoint, knowing your fabrics will be protected and look like new.



ANTISTAIN



Every day STAIN REMOVAL

drum movements, so you can say goodbye to stains.












BI WDHG 961484 UK

- *Energy Rating D/C *Anti-Stain 40° Cycle *Anti-Stain Quick Cycle
- *Steam Refresh
- *Wash & Dry 45' Cycle *Wool Care












Code 869991586000



- *Energy Rating D/C
 *Anti-Stain 40° Cycle
- *Anti-Stain Quick Cycle *Steam Refresh
- *Wash & Dry 45' Cycle ·Wool Care





BI WMHG 71483 UK N *Energy Rating D *Anti-Stain 40° Cycle *Anti-Stain Quick Cycle

·Wool Care ·Rapid 30' Cycle *Delicate Cycle

	BI WMHG 91484 UK	BI WMHG 81484 UK	BI WMHG 71483 UK N	BI WDHG 961484 UK	BI WDHG 861484 UK
SPECIFICATION					
CAPACITY (kg)	9	8	7	9+6	8+6
SPIN SPEED (rpm)	1400	1400	1400	1400	1400
ENERGY RATING	С	С	D	D C	DIC
DIMENSIONS (H x D x W mm)	820 x 545 x 595	820 x 545 x 595	820 x 545 x 595	820 x 545 x 595	820 x 545 x 595
COLOUR	White	White	White	White	White
NOISE dB(A)	70	70	72	70	70
ADJUSTABLE FEET	•	•	•	•	•
TECHNOLOGY					
ANTI STAIN 40° CYCLE	•	•	•	•	•
ANTI STAIN QUICK CYCLE	•	•	•	•	•
RAPID 30' QUICK CYCLE	•	•	•	•	•
WOOL CARE	•	•	•	•	•
ENERGY SAVER OPTION	•	•	•	•	•
CHILD LOCK	•	•	•	•	•
START DELAY	•	•	•	•	•
MULTI RINSE OPTION	•	•	•		
CLEANING ACTION OPTION	•	•	•		
STEAM REFRESH				•	•
DRY ONLY OPTION				•	•
DRYNESS LEVEL SETTING				•	•
WASH & DRY 45' CYCLE				•	•
PRE IRON CYCLE				•	•



75

RVICES

HOTPOINT CARE Quality at the heart of all we do

OUR APPLIANCE LEAVING THE FACTORY ISN'T THE END OF THE STORY. FOR US IT'S JUST THE START OF A WHOLE NEW CHAPTER.

At every stage of the creation of our appliances, everyone's job is to always achieve the highest possible quality standards. This has shaped our history and success that we always strive to build on. From design to material selection, from production to after sales service, our objective is to keep our appliances working perfectly. New products are tested to simulate 10 years of use - that's the equivalent to thousands of hours and we're so confident in the quality and reliability of Hotpoint appliances, we even offer replacement parts free for the first 10 years.



GUARANTEED PARTS FOR 10 YEARS ON LARGE APPLIANCES

Your Hotpoint appliance is covered for a full 12 months by our own parts and labour warranty. In addition, when you register your appliance we also provide free parts for the first 10 years when fitted by our highly qualified engineers. Please call **0800 597 8520** to register today.

(For the Republic of Ireland please call 012 300 233).

REGISTER MY APPLIANCE Hotpoint is proud to support the Register My Appliance initiative

WHY REGISTER YOUR APPLIANCE?

- Allows us to contact you in the event of an important product update
- Gives us full details of the products you own, should you need to contact us
- Whether old or new we would like to know which Hotpoint appliances you have

HOW TO GET THE BEST OUT OF YOUR APPLIANCE

At Hotpoint we design and manufacture our appliances to provide many trouble-free years of service to our customers, but there are also a few things you can do yourself to help ensure your appliance operates to its full potential.

To find out visit www.hotpointservice.co.uk

WE'RE HERE IF YOU EVER NEED US, call us on 03448 224 224

Hotpoint Service is second to none. We are open when you need us and our operators are on hand 364 days a year to answer your call on **03448 224 224** (For the Republic of Ireland please call **0818 313 413**).

For more information, please visit **hotpointservice.co.uk**

LOCAL ENGINEERS NATIONWIDE

We are the largest white goods service team in the United Kingdom & Republic of Ireland, with over 1000 locally based Hotpoint engineers. These fully trained Hotpoint specialists will ensure you receive fast, reliable and local service.

APPOINTMENTS TO SUIT YOU

We do everything possible to fit in with your busy lifestyle, including flexibility of appointment times. Saturday appointments are also available in some areas. We will send you a text message with a 3 hour time slot on the evening before your appointment.

PROFESSIONAL WORKMANSHIP - BY THE EXPERTS

Our engineers are professionally trained at the Hotpoint School of Excellence and receive continuous training to ensure they are up-to-date with the latest products. We only fit genuine Hotpoint replacement parts and guarantee our repair work for a full 12 months.

YOUR PEACE OF MIND WITH TOTAL PROTECTION

We offer fast, quality repairs and protection plan options for complete peace of mind. Hotpoint appliances come with a full 12 months manufacturer's guarantee. Extra peace of mind is also available with a Hotpoint care plan, which offers repair and protection for your home appliances.

SATISFACTION GUARANTEED

Within the first 28 days of ownership we have a dedicated team who provide fast track product advice and assistance to deal with your enquiries quickly and efficiently. In the unlikely event that a technical problem occurs that cannot be resolved in this period we will replace your appliance.

Specifications and technical information are subject to change at any time. While every effort has been made to ensure that the information contained in this brochure is correct at time of going to press, Hotpoint cannot be held responsible for any errors or omissions that may come to light after publication. Products offered for sale may differ from those described or illustrated herein and Hotpoint reserves the right to alter specifications without prior notice. Due to printing limitations the colour of appliances illustrated herein cannot be guaranteed accurate and should be used for guidance only. If particular features, colours or measurements are important to you please check with your Hotpoint dealer before purchasing.

hotpoint.co.uk